
Mercury Advance SMARTCare® A Step Change in Care Delivery

Intelligent® Pressure Care Management




Mercury Advance SMARTcare[®] is an innovative solution in the prevention and treatment of pressure ulcers. It offers effective dual therapy in a single surface by combining advanced, clinically proven technologies previously only available in separate hybrid surfaces.



A Step Change in Care Delivery

Mercury Advance SMARTcare[®] is clinically proven to support the prevention and treatment of pressure ulcers. Representing a step change in care delivery, achieved by reducing the number of steps and time involved in getting patients onto the right support surface, Mercury Advance SMARTcare° is also a more cost effective solution, promoting best use of resources. Mercury Advance SMARTcare[®] can easily be stepped up from Static to Dynamic mode, and down again when deemed clinically appropriate, with no delays, associated administration or moving and handling requirements for patient transfer.

Mercury Advance SMARTcare[®] combines the most innovative and clinically proven pressure care technologies in a single support surface.



- Advanced air displacement technology continually optimises pressure redistribution in response to patient weight and movement
- 'Air only' heel zone effectively offloads pressure on this vulnerable area

All component parts are interchangeable and replaceable, maximising product life, offering a cost effective solution to pressure care management.

Infection Control / Hypochlorite Solution Compatibility

Mattress Cover / Control Unit should be wiped down with an appropriately diluted Sodium Hypochlorite solution and warm water.

Use a Sodium Hypochlorite solution diluted to 1,000 parts per million available chlorine. For heavy contamination use a Sodium Hypochlorite solution diluted to 10,000 parts per million available chlorine. Please ensure thorough rinsing after cleaning.





- effective therapy delivery
- 10 minute, 2 in 1 alternating cycle
- Choice of LO or HI Setting

Technical Specifications

MAT1610001
Very High Risk
No minimum weight limit. Product evaluated to 40 stone / 254kg capacity
2 Years
Standard Size (Length) 198cm x (Width) 88cm x (Height) 15cm
13.3kg mattress / 1.7kg Power Unit
10 minutes
Electronic
220V - 240V / 50HZ
10W
lla
Blue